



WMN-301 FLUSH-MOUNT MONITOR DISPLAYS

FEATURES AND BENEFITS



- HD Resolution
- Frameless design for flexible installation environments
- Clearly audible voice reproduction
- Integrates seamlessly into the WebbSafe-300 System
- Portrait or Landscape mode

WMN-301-xx

Description: The WMN-301 Frameless monitor is designed for commercial installation behind a custom enclosure like a display wall or COP in an elevator. Designed to function with the WebbSafe - 300™ system WMN-301 can be used for electronic bulletin boards, video displays or two way video and audio real-time communication.

Ordering Information

WMN-301-12	12" Display Unit
WMN-301-15	15" Display Unit
WMN-301-23	23" Display Unit

TYPICAL APPLICATIONS

Areas of Rescue,
Parkades,
Emergency Stations,
Hospitals,
Building Entrances,
Reservation Desks,
Mall Security,
Retirement Homes



WMN-301 FLUSH-MOUNT MONITOR DISPLAYS

Specification:

	WMN-301-12	WMN-301-15	WMN-301-23
Screen Size:	12" Diagonal	15" Diagonal	23" Diagonal
Active Display Area (mm):	245.76 × 184.32	304.13 × 228.09	509.18 × 286.41
Display Resolution (px):	1024x768	1024x768	1920x1080
Recommended Resolution:	1024x768 @60hz	1024x768 @60Hz	1920x1080 @60Hz
Display Type:	IPS Screen		
Viewing Angles:	89/89/89/89 (CR≥10)		
Frame Rate:	60Hz		
Contrast Ratio:	1000:1 TM		
Display Color:	262K/16.2M,72% (CIE1931)		
Brightness:	600 cd/m ²		
Touch Screen:	(Optional) Resistive, Capacitive, SAW, IR		
Power Source:	AC 100~240 V, universal, ±10%		
Power Consumption:	25W	26W	30W
Shipping Weight:	6lb, 2.7Kg	9lb, 4.1Kg	22lb, 10Kg
Mounting:	Rear-Mounted for Flush Finish		
Network Connector:	1 Ethernet port, 10M/100M/1000M, self-adaptive		
Operating Temperature:	0 - 40°C		
Warranty:	2 years from date of purchase		
Certification/ Compliance:	ADA, FCC - Part 15, Industry Canada, ASME A17.1, CSA B44		

Supplied and serviced by:

information may change without notice



Member of the CIS Group of Companies
Vancouver • Toronto • Montreal • Florida
1-877-731-1010
info@webbelectronicsinc.com
www.webbelectronicsinc.com